

# Xerox® ColorQube™ 9201/9202/9203 Multifunction System



**Xerox ColorQube 9201**  
shown with Offset Catch Tray.



**Xerox ColorQube 9202**  
shown with Office Finisher.



**Xerox ColorQube 9203**  
shown with High Volume Finisher  
with Booklet Maker, Post Process  
Inserter, Z-Fold/C-Fold unit and  
High Capacity Feeder.

	Xerox ColorQube 9201	Xerox ColorQube 9202	Xerox ColorQube 9203
<b>Output Speed – Printing and Copying</b>			
<b>Colour</b>	High Resolution/Photo Mode: 30 ppm Enhanced Mode (Default): 38 ppm Standard Mode*: 50 ppm Fast Colour Mode*: 60 ppm	High Resolution/Photo Mode: 35 ppm Enhanced Mode (Default): 45 ppm Standard Mode*: 60 ppm Fast Colour Mode*: 70 ppm	High Resolution/Photo Mode: 38 ppm Enhanced Mode (Default): 50 ppm Standard Mode*: 70 ppm Fast Colour Mode*: 85 ppm
<b>Black and white</b>	High Resolution/Photo Mode: 38 ppm Enhanced Mode (Default): 50 ppm Standard Mode*: 70 ppm Fast Colour Mode*: 85 ppm		
<b>First-Copy-Out Time – A4, from Platen</b>			
	As fast as 8.1 seconds		
<b>Copy Specifications</b>			
<b>Copying</b>			
<b>Document Scanner</b>	Duplex Automatic Document Feeder (DADF) 100-sheet capacity		
<b>Sides (input:output)</b>	1-1, 1-2, 2-2, 2-1		
<b>Quantity</b>	1 to 9,999		
<b>Resolution (max)</b>	600 x 600 dpi		
<b>Concurrency</b>	Unlimited programme-ahead consistent with configuration (Copy, Fax and Scan)		
<b>Memory</b>	1 GB Pre-collation memory, 512 MB, 80 GB Disk minimum		

\* Standard and Fast Colour speeds are available for printing in PostScript only. Copy settings are limited to High Resolution/Photo and Enhanced Mode speeds.

<p><b>Basic Copy Features &amp; Options</b></p>	<p>Collation          Automatic 2-sided/Duplex          Auto Reduction and Enlargement to fit selected paper size          Hole Punching          Booklet Creation          Stapling          Large Job Interrupt          Auto Paper Select          Authentication for Services (i.e., Colour Copy)          Auto Tray Switching</p>
<p><b>Imaging Copy Features</b></p>	<p>Image Quality:</p> <ul style="list-style-type: none"> <li>• Original Type Selection: Photo &amp; Text, Photo, Text, Newspaper/Magazine, Maps</li> <li>• Original Subtype: Printed original, Photocopied original, Photograph, Inkjet original, Solid ink original</li> <li>• Image Options: Lighten/Darken, Sharpness, Saturation</li> <li>• Image Enhancement: Background Suppression, Contrast</li> <li>• Colour Effects: Off, Lively, Bright, Warm, Cool</li> <li>• Colour Balance: 7 levels of density for each of Cyan, Magenta, Yellow and Black</li> </ul> <p>Book Copying/Bound Copying          Edge Erase          Single Colour          Repeat Image          Mixed Size Original          Image Shift (with Auto Centre option)          Image Shift Preset: Support for 3 Preset Options          Annotation and Bates™ stamping (with colour capability)</p>
<p><b>Output Copy Features</b></p>	<p>Transparencies          Dividers (blank or imaged)          Booklet Creation          Multi-up (up to 15 columns by 15 rows)          Invert Image (negative or mirror image)          Covers (Front only, front and back, back only)          Build Job: (Enables page-level programming and also lets you proof each section or delete last section as the job is built)          Inserts and Tab insertion          Sample Set and Job Storage (Store and recall job programming)          Heavy weight paper (not rough stock)</p>
<p><b>Features</b></p>	<p>Help (Intuitive text and graphic descriptions)          Xerox Standard Accounting (Copy, Print, Scan, Fax)          Languages: (Select up to 21 languages for user interface – US English, International English, International French, Italian, German, International Spanish, Dutch, Portuguese, Brazilian (Brazilian Portuguese), Swedish, Norwegian, Danish, Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian, Romanian or Catalan)</p>
<p><b>Security</b></p>	<p>IP Filtering for TCP/IP network communications          Enable Secure Workflows          Audit Log: Provide export capability of log, includes username of log on attempts          SNMPv3 Support          GUI Job Queue Confidentiality: Requires a PIN to delete a Secure print job          Image Overwrite (On-demand/Immediate or Scheduled)          Encryption of user jobs stored on hard disk</p>
<p><b>Reduction/Enlargement</b></p>	<p>Variable Zoom: 25% – 400% in 1% increments          Size: user-programmable percentages (100%, Auto%, 25%, 50%, 64%, 70%, 78%, 94%, 141%, 180%, 200%, 400%)</p>

# Xerox® ColorQube™ 9201/9202/9203

<b>Foreign Device Interface (FDI) (Optional)</b>	Interface to third party access control devices, coin machines, card readers Validates Metadata Accept Authentication Login at GUI and pass to third party Networking Account Interface with third party accounting terminal for accounting UI MIB Compliance – supports the Finishing MIB Support a variety of vending stations available through the Xerox Custom Application Service	
<b>USB Port</b>	PC Interface for upload/download of Xerox Copier Assistant Customer device administration/software upgrade	
<b>Accessibility Option</b>	Xerox Copier Assistant (XCA) software provides a PC-based alternative to the user interface touch screen. Used in conjunction with a customer-supplied PC attached via USB port, this software supports text-to-speech, screen magnification and easy PC keyboard access to basic and advanced copy features	
<b>Paper Handling – Duplex Automatic Document Handler</b>		
<b>Capacity</b>	100 sheets	
<b>Speed</b>	75 images per minute (ipm) black and white, 51 ipm colour	
<b>Paper Sizes Sensed</b>	A5/148 x 210 mm to A3/297 x 420 mm SEF or A5/148 x 210 mm to A4/210 x 297 mm LEF	
<b>Weights</b>	50 to 160 gsm	
<b>Paper Handling – Three Front Loading Paper Trays – Paper Trays 1, 2 and 3</b>		
<b>Capacity</b>	Trays 1 & 2: 550 sheets of 75 gsm each tray Tray 3: 2,100 sheets of 75 gsm	
<b>Sizes</b>	Trays 1 & 2: A5/148 x 210 mm to A3/297 x 420 mm SEF Tray 3: A4/210 x 297 mm LEF	
<b>Weights</b>	60 to 220 gsm	
<b>Types</b>	<b>Trays 1 &amp; 2:</b> Plain Labels Carbonless Punched paper	<b>Tray 3:</b> Plain Carbonless Punched paper
<b>Paper Handling – Bypass Tray (Tray 4)</b>		
<b>Capacity</b>	100 sheets of 75 gsm	
<b>Sizes</b>	A5/Envelope to SRA3 SEF	
<b>Weights</b>	60 to 220 gsm	
<b>Types</b>	Plain Heavy weight Extra heavy weight Labels Transparencies (paper backed not supported) Envelopes Carbonless Punched paper Glossy	

<b>Paper Handling – High Capacity Feeder (Tray 5)</b>	
<b>Capacity</b>	Up to 4,000 sheets of 75 gsm
<b>Sizes</b>	A4/210 x 297 mm LEF Optional A4 Short Edge Kit – A4/210 x 297 mm SEF with 2,000 sheet capacity Optional A3 Short Edge Kit – A3/297 x 420 mm SEF with 2,000 sheet capacity
<b>Weights</b>	60 to 220 gsm
<b>Paper Handling – Total Capacity</b>	
<b>Device Total Capacity</b>	7,300 sheets
<b>Output Option – Offsetting Catch Tray (OCT) Option</b>	
<b>Capacity</b>	500 sheets of 75 gsm
<b>Output Option – Office Finisher Option</b>	
<b>Capacity<sup>1</sup></b>	Top Tray – 250 sheets Stacking Tray – 2,000 sheets
<b>Sizes</b>	A5/148 x 210 mm to A3/297 x 420 mm
<b>Weights</b>	60 to 220 gsm
<b>Stapling<sup>1</sup></b>	50 sheets Single and dual
<b>Hole Punch (Optional)</b>	<b>Europe</b> 2-hole punch 4-hole punch and 4-hole “Swedish” punch
<b>Output Option – High Volume Finisher Option</b>	
<b>Capacity<sup>1</sup></b>	Top Tray – 250 sheets Stacking Tray – 3,000 sheets
<b>Sizes</b>	A5/148 x 210 mm to A3/297 x 420 mm
<b>Weights</b>	60 to 220 gsm
<b>Stapling<sup>1</sup></b>	100 sheets Single (any corner), dual, front, rear, SEF and 4-stitch
<b>Hole Punch (Optional)</b>	<b>Europe</b> 2-hole punch 4-hole punch and 4-hole “Swedish” punch
<b>Output Option – High Volume Finisher with Booklet Maker Option</b>	
<b>Capacity<sup>1</sup></b>	Top Tray – 250 sheets Stacking Tray – 3,000 sheets (2,000 sheets with Z-Fold/C-Fold)
<b>Sizes</b>	A5/148 x 210 mm to A3/297 x 420 mm
<b>Weights</b>	60 to 220 gsm
<b>Stapling<sup>1</sup></b>	100 sheets Single (any corner), dual, front, rear, SEF and 4-stitch

<sup>1</sup> Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.

# Xerox® ColorQube™ 9201/9202/9203

Hole Punch (Optional)	<b>Europe</b> 2-hole punch 4-hole punch and 4-hole “Swedish” punch
<b>Booklet Maker Capacity<sup>1</sup></b>	Tray stop up: 25 booklets (1-15 sheets per booklet) Tray stop down: Unlimited
Sizes	A4/210 x 297 mm A3/297 x 420 mm
Weights	60 to 220 gsm
Stapling <sup>1</sup>	Saddle-stitch (2-15 sheets/8-60 page booklet)
Folding	V-folding (1-15 sheets/unstapled)
<b>Output Option – Z-Fold/C-Fold Unit with HVF with Booklet Maker Option</b>	
Capacity <sup>1</sup>	50 sheets or unlimited capacity with tray stop in the down position
Sizes	A4/210 x 297 mm
Weights	60 to 220 gsm
<b>Output Option – Post Process Inserter (optional with HVF and HVF with Booklet Maker)</b>	
Capacity <sup>1</sup>	250 sheets Tray stop down: unlimited
Sizes	A4/210 x 297 mm A3/297 x 420 mm
Weights	60 to 220 gsm
<b>Output Option – Convenience Stapler</b>	
Capacity	50 sheets 5,000 staples Requires a separate outlet
<b>Print Specifications</b>	
<b>Network Printing – Simultaneous Rip, Receive, Programme Ahead, Queue Processing and Transmit</b>	
Processor	1 GHz
Memory (ESS)	512 MB
System Disk	80 GB minimum
<b>Print Languages (PDL)</b>	PCL 6/PCL 5c emulation PostScript 3 TIFF (6.0 Old JPEG and New JPEG) PDF XPS
<b>First-Print-Out Time – A4</b>	
	As fast as 7.2 seconds

<sup>1</sup> Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.

Network Printing – Printing Features	
	Bi-directional Print Drivers provide device and job status Embedded web server for remote control/monitor/setup Job monitoring at the device and desktop Special font Banner Sheet Rotate Image Offset Support PCL and PS switching Custom Macintosh Driver (Watermark, Booklet Creation, JBA, Secure, Sample, Delay Print) Page Segmentation Save and restore print job settings
Network Printing – Print Driver Options	
<b>Paper Output</b>	Job Type <ul style="list-style-type: none"> <li>• Secure, Sample, Delay, Saved</li> </ul> Paper Selection by attribute (including transparency separators) Duplex (2-sided) Finishing <ul style="list-style-type: none"> <li>• Multiple stapling positions</li> <li>• Hole punch</li> <li>• Booklet creation</li> <li>• Fit to new paper size</li> <li>• Saddle stitch with High Volume Finisher with Booklet Maker</li> </ul> Output tray selections Store and recall driver setting
<b>Special Pages</b>	Exception page programming (covers, inserts, exception pages)
<b>Image Options</b>	Print Settings (High Resolution/Photo – 600x600 dpi, Enhanced – 450x567 dpi, Standard – 300x500 dpi and Fast Colour – 225x450 dpi) Reduction/Enlargement Invert Image (negative/mirror)
<b>Layout/Watermark</b>	N-up (16)/Multi-up Booklet layout/finishing Fit to new paper size Image orientation Watermark option
Print Protocols and Networks	
<b>Physical</b>	Ethernet 10/100/1000BaseT, 10BaseT, 10Base2 (IEEE802.5) (Token ring) – via adaptor Wireless Ethernet (IEEE802.11a/b/g) – via third party adaptor IPv6 support for printing 802.1x support
<b>Operating Systems</b>	Windows XP, 2000, Server 2003, Server 2008, Server XP 64 bit, Server 2003 64 bit, Server 2008 64 bit, Windows Vista Mac OSX 10.3 & 10.5 HP UX 11/11i AIX Solaris 8/9/10 SPARC Solaris10 x86 Linux x86/x86_64
<b>Network Protocols</b>	TCP/IP, LPR/LPD, Raw IP (Port 9100), NetBIOS SMB, IPX/SPX, IPP, NDPS®/NEPS AppleTalk, Bonjour
<b>Administrative Protocols</b>	DHCP, BOOTP, SNMP, WINS, DDNS, SLP v2, HTTP, RARP



<b>Automated Services Platform</b>	<b>MeterAssistant:</b> automatically collects and securely submits your device meter reads to Xerox using a built-in audit process to increase billing accuracy
<b>Xerox CentreWare® Internet Services</b>	Allows simple remote installation setting of configuration options and management of the device
<b>Xerox CentreWare® Web</b>	A web-based server application for network administrators that permits web browser-based device management from any workstation, whether running Windows, UNIX or any other operating system: <ul style="list-style-type: none"> <li>• Works with any SNMP-managed printer from any manufacturer</li> <li>• Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management</li> <li>• Requires Windows XP, Vista, Server 2003, Server 2008 and Internet Explorer 6.0 and higher</li> </ul>
<b>Novell NDPS/NEPS</b>	Server gateway application: centralised management tool
<b>Xerox CentreWare® for Unicenter TNG®</b>	Provides added identification to the general discovery performed by Unicenter TNG and the ability to see the ColorQube® under a Unicenter TNG Business Process View
<b>Xerox CentreWare for Tivoli® NetView®</b>	Provides for the identification of Xerox ColorQube®, WorkCentre® and Phaser® printers and multifunction systems in the general discovery performed by Tivoli NetView
<b>Xerox CentreWare for HP® OpenView®</b>	Provides for the identification of Xerox ColorQube®, WorkCentre® and Phaser® printers and multifunction systems in the general discovery performed by HP OpenView Provides traps and message updates to the OpenView alarm browser and the ability to launch CentreWare Internet Services for device management directly from OpenView
<b>Xerox Barcode Pro PS (optional)</b> <i>Information available at <a href="http://www.xeroxoffice.sapsolutions.com">www.xeroxoffice.sapsolutions.com</a></i>	Enables intelligent PostScript printing on Xerox multifunction systems by storing Xerox software, as well as the barcode fonts on the printer hard disk. Enables the printing of barcodes from any application (SAP R/3 client or mainframe) that supports PostScript printing. Automatically calculates the check digit, places start/stop and middle bar characters in the data string, compresses, encodes and rotates the barcode through 90 or 270 degrees
<b>Xerox Device Types for SAP R/3 Environment</b> <i>Information available at <a href="http://www.xeroxoffice.sapsolutions.com">www.xeroxoffice.sapsolutions.com</a></i>	Simplifies printing in SAP R/3 environments by providing users of SAP R/3 3.x, 4.x, 4.5x, 4.6x, SAP Enterprise 4.7x, ERP applications with enhanced ColorQube printing functionality (PostScript and PCL): <ul style="list-style-type: none"> <li>• One- to two-sided printing</li> <li>• Finishing provides single or dual stapling</li> <li>• Tray pull location from any tray</li> <li>• Number of copies – provides the ability to print multiple copies</li> <li>• Paper Type and colour – provides ability to select paper types and colours, such as transparency, red, etc.</li> <li>• Print security via PIN ID capability</li> <li>• Job Based Accounting (JBA) – Provides capability to add JBA UserIDs to SAP print jobs</li> <li>• Printer banner sheet – Provides the ability to enable/disable printer banner sheets</li> <li>• Barcode printing – Xerox standard PostScript device types available at <a href="http://www.xeroxofficesapsolutions.com">www.xeroxofficesapsolutions.com</a> supports Intelligent Barcode Printing with Xerox Barcode Pro PS. This Barcode Pro PS can be purchased at <a href="http://www.font.net">www.font.net</a></li> </ul>
<b>Xerox SAP R/3 Intelligent Barcode Utility (optional)</b> <i>Information available at <a href="http://www.xeroxoffice.sapsolutions.com">www.xeroxoffice.sapsolutions.com</a></i>	Provides built-in intelligence that allows the printing of barcodes on any appropriately configured PostScript printer on the SAP R/3 4.1x, 4.5x, 4.6x and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox PostScript Device Types for SAP R/3 environment and Xerox Font Centre Barcode Fonts. Utility enables automated checksum calculation, placement of start/stop characters, encoding of data string and data compression
<b>CentreWare Internet Services – Integrated Web Pages Provided by the Device</b>	
<b>Device Status</b>	Web server embedded in SMart Controller: <ul style="list-style-type: none"> <li>• Tray status/contents</li> <li>• Consumables status</li> <li>• Alerts</li> </ul>
<b>Job Submission</b>	Print ready files: PS, PCL, TIFF, PDF Output feature selection (2-sided, staple, fold, hole punch, paper select) Delivery options (Immediate, proof, delay and secure)

# Xerox® ColorQube™ 9201/9202/9203

<b>Device Administration</b>	Allows simple, remote installation setting of configuration options and management of the device
<b>Scan Template Management</b>	Support 250 scan templates Create device specific CentreWare scan templates Select confirmation sheet options Share scan templates via device cloning
<b>Browsers (minimum versions)</b>	Netscape 7.x, 9.x Internet Explorer 6.x Safari 3.0 Mozilla Firefox 2.x Opera 9.x Chrome 1.0
<b>Support</b>	Online support available via web page
<b>Scanning</b>	
<b>Concurrency</b>	Scan while the system is printing, copying, or while it is transferring scan to network or fax jobs
<b>Input Speed</b>	Scan at up to 51 ipm colour scanning, up to 75 ipm black and white – A4/210 x 297 mm LEF at all resolutions
<b>Resolutions (DPI options)</b>	600 x 600 dpi 400 x 400 dpi 300 x 300 dpi 200 x 200 dpi 200 x 100 dpi 150 x 150 dpi 100 x 100 dpi 72 x 72 dpi
<b>Scan Presets</b>	Archival (Normal Quality – Smallest file size) For Sharing and Printing (Normal Quality – Small file size) For High Quality Printing (High Quality – Large file size) For OCR (High Quality – Large file size) Simple Scan (Normal Quality – Small file size)
<b>Quality/File Size</b>	Normal Quality (Small file size) Higher Quality (Large file size) Maximum Quality (Largest file size)
<b>Maximum Scan Area</b>	A3/297 x 420 mm
<b>Authentication</b>	Secure device login with network user name and password Supports Kerberos (Windows 2000/UNIX/Windows Server 2003, Windows Server 2008) SMB (Windows NT 4.0/Windows 2000/Windows Server 2003, Windows Server 2008) Novell over IP/IPX (Novell NetWare 4.x/5.x/6.x) Xerox Secure Access Unified ID System LDAP PIN-based guest login
<b>File Formats</b>	PDF TIFF Multipage TIFF Searchable PDF PDF/A XPS Searchable XPS Linearised PDF Searchable PDF/A JPEG

<b>File Compression</b>	G3 (photo and half tone photo originals), G4 (text and mixed originals), MRC, JPEG, JBIG2
<b>Scan Features</b>	Mixed sized Original Support for Scan Export Simplified scanning workflow User Interface (IQ, file size, Templates) Scan in Novell IP Build job for Scan to file Auto Detect Colour or Black and White image data Auto Contrast support for Scan Export – Enable better colour and grey scale scanned Image Quality by correcting for different levels of black within a scanned image Scan to Searchable PDF, PDF/A and XPS Scan to Home Scan to Mailbox Store and reprint jobs
<b>Scan to E-mail</b>	
<b>Capability</b>	Scan to e-mail (manual address entry), directory (Exchange/Notes/LDAP) address searching, internal address book or public address book (up to 128 recipients)
<b>Network Protocol</b>	SMTP MIME encoded IPV6
<b>Scan Features</b>	E-mail signatures (6 lines each of 128 character max), e-mail message body (user configurable), e-mail CWIS confirmation sheet options
<b>Network Scanning</b>	
<b>Capability</b>	Enables device-specific network scan workflows (destination templates) to be easily created and edited via CentreWare® Internet Services: <ul style="list-style-type: none"> <li>• Scan to file</li> <li>• Scan to network server/directory</li> <li>• Scan to Windows XP client via Windows Image Acquisition (WIA) or TWAIN driver</li> <li>• Scan to e-mail</li> <li>• Scan to Microsoft Exchange public folders</li> <li>• Scan to PC Desktop</li> </ul>
<b>Network Protocol</b>	Novell (NCP via IPX/SPX) FTP Microsoft SMB via TCP/IP HTTP/HTTPS IPV6
<b>Document Management Fields (Metadata)</b>	Features only available in Network Scan to File Templates: <ul style="list-style-type: none"> <li>• 1-6 user programmable metadata fields per network scan to file template and unlimited fields within the template – Metadata Field consists of field name, display at the LUI, default value and other configurations</li> <li>• Customised fields viewed on user interface</li> <li>• Variable data entered using virtual keyboard at device</li> </ul>
<b>Scan Template Management</b>	Share scan templates among ColorQube via device cloning Scan template management (250 templates) with CentreWare Internet Services Select confirmation sheet option
<b>Scan Features</b>	Build job (for Scan to file only) (enables special programming for different pages in one document – can be used for inserts, mixing input from the document glass and document feeder), duplex scanning, auto detect document size, scan mixed size originals, scan to edge
<b>Network Scanning – Software Solutions</b>	
<b>Supported Scan Destinations – scan template creation (varies by scanning software options purchased)</b>	Scan to application (workflow, Electronic Document Management System/Repositories) Scan to Microsoft Exchange 2000 Web folders Scan to web URL Scan to PC Desktop (SE and Professional editions) Scan to mailbox

<b>Xerox Scan to PC Desktop Professional (optional)</b>	<p>A desktop offering that provides advanced document imaging, archiving, editing and organisation tools:</p> <ul style="list-style-type: none"> <li>• Nuance PaperPort Professional image viewing and file management software: <ul style="list-style-type: none"> <li>– Complete PDF functionality</li> <li>– Secure PDF workflow of all scanning applications</li> </ul> </li> <li>• Nuance OmniPage Pro Office (for desktop/client installation) – Professional OCR software for digital archiving and document conversion</li> <li>• Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox ColorQube to individual desktops. Also includes e-mail inbox polling capability</li> </ul>
<b>Xerox SMARTsend® (optional)</b>	<p>Server based document routing software that supports multiple scan-enabled multifunctional systems (up to 250 per server):</p> <ul style="list-style-type: none"> <li>• Enables transformation, distribution and routing of scanned documents – with features like LDAP and auto discovery</li> <li>• Workflow creation via web browser-based task creation (destinations, devices, document attributes – 20 file types including searchable PDF, workflow settings, workflow summary)</li> <li>• Scan to file destinations: e-mail, Novell Netware folder, network folder, SMB folder, FTP, Microsoft Exchange 2000 web folders, web URL, remote printers</li> <li>• Scan to document repository destinations: DocuShare®, Domino, Domino.doc, Microsoft SharePoint</li> <li>• Workflow initiation via device scanning user interface (template selection at device UI)</li> </ul>
<b>Xerox SMARTsend Professional (optional)</b>	<p>Everything in Xerox SMARTsend, plus:</p> <ul style="list-style-type: none"> <li>• Workflow initiation via Paperware (Scan cover sheets)</li> <li>• Server-based Optical Character Recognition (OCR)</li> <li>• Adding Metadata</li> <li>• Scan to Internet fax file destination</li> </ul>
<b>Fax Specifications</b>	
<b>Fax Features – Internet Fax</b>	
<b>Capability</b>	<p>Direct document transmission to remote Internet fax machines or e-mail clients (SMTP) Reception and automatic printout of documents sent via e-mail from remote Internet fax machines or e-mail clients</p>
<b>Maximum Scan Area</b>	<p>A3/297 x 420 mm</p>
<b>Authentication</b>	<p>Optional secure device login with network user name and password Supports: Kerberos (Windows 2000/UNIX/Windows Server 2003/Windows Server 2008) SMB (Windows NT 4.0/Windows 2000/Windows Server 2003/Windows Server 2008) Novell over IP/IPX (Novell NetWare 4.x/5.x/6.x) Xerox Secure Access Unified ID System Optional PIN-based guest login</p>
<b>Address Directory Access</b>	<p>Corporate address list via LDAPv3 Downloaded address list (comma-separated file format) Internal LDAP or Public address book</p>
<b>File Formats</b>	<p>PDF and Multi TIFF</p>
<b>Resolutions</b>	<p>600 x 600 dpi 400 x 400 dpi 300 x 300 dpi 200 x 200 dpi 200 x 100 dpi 150 x 150 dpi 100 x 100 dpi 72 x 72 dpi</p>
<b>Network Protocols</b>	<p>SMTP POP3 (RFC 1939)</p>
<b>Compliance</b>	<p>ITU-T T.37 Compliant 508 Compliant</p>

<b>Features</b>	Signature (System administrator configurable – 6 lines each of 128 character max) Delivery Confirmation: <ul style="list-style-type: none"> <li>• Email receipt option</li> <li>• Confirmation reply option</li> </ul> Cover sheet option Subject (248 characters) User configurable message body
<b>Fax Features – Network Fax Server Enablement</b>	
<b>Capability</b>	Provides walk-up faxing and hard copy output of received faxes when integrated with fax server applications (Fax server and software must be purchased separately from supplier). Transmission speeds, number of lines, compatibility and compression are dependent on fax server configuration
<b>Maximum Scan Size</b>	A3/297 x 420 mm
<b>Authentication</b>	Optional secure device login with network user name and password Supports Kerberos (Windows 2000/UNIX/Windows Server 2003, Windows Server 2008) SMB (Windows NT 4.0/Windows 2000/Windows Server 2003, Windows Server 2008) Novell over IP/IPX (Novell NetWare 4.x/5.x/6.x) Xerox Secure Access Unified ID System Optional PIN-based guest login
<b>Network Protocols</b>	Novell (NCP via IPX/SPX) or IP FTP Microsoft SMB via TCP/IP HTTP/HTTPS SMTP
<b>Fax Send Features</b>	One- or two-sided scanning (up to A3/297 x 420 mm) Phone number entry Add to send list Delay send (specific time) Image quality selection (photo and text, photo, text, lighten/darken, five levels of sharpness)
<b>Fax Print Features</b>	One- or two-sided printing Quantity Staple on/off Collate on/off Secure print on/off Finisher output tray selection (top tray or main tray)
<b>Supported Network Fax Vendors</b>	Multiple vendors, certified by the Xerox Alliance Partner Programme. For details visit <a href="http://www.xerox.com">www.xerox.com</a>
<b>Fax Options – Walk Up Option (one or two line options)</b>	
<b>Compatibility</b>	ITU (CCITT) Group 3
<b>Memory</b>	512 MB
<b>Speed/Modems</b>	1 or 2 V.34 modems: 33,600 bps. Less than 4 seconds per page transmission time. (ITU Doc 1 standard resolution)
<b>Compression/Speed</b>	MH/MR/MMR/JBIG G3/Super G3

<b>Fax Send Features</b>	<p>Quality/Resolution</p> <ul style="list-style-type: none"> <li>• Original type: photo, photo/text, text only</li> <li>• Fax – off platen, mixed sizes or bound/book</li> </ul> <p>Audio line monitor Transmission options (report/header) Reduce/Split large documents Cover letter Delayed send Build job (up to 1,000 images) Polling</p>
<b>Fax Receive Features</b>	<p>One- or two-sided printing Stapled or unstapled, hole punch Receive print mode – Manual (size, margin, stock)/Auto Auto answer delay Secure receive Junk fax prevention</p>
<b>Fax Reports</b>	<p>Activity Dial directory Group directory Options Pending jobs Broadcast report</p>
<b>Fax Mailboxes</b>	<p>Up to 100 password-protected mailboxes (one-line option) Up to 200 password-protected mailboxes (two-line option)</p>
<b>Auto Dialing Features</b>	<p><b>Speed Dials:</b></p> <ul style="list-style-type: none"> <li>• 200 (one-line option)</li> <li>• 1,000 (two-line option)</li> </ul> <p><b>Group Dials:</b></p> <ul style="list-style-type: none"> <li>• Up to 100 groups with up to 200 recipients per group (one-line option)</li> <li>• Up to 200 groups with up to 400 recipients per group (two-line option)</li> </ul> <p><b>Auto Redial:</b></p> <ul style="list-style-type: none"> <li>• Up to 14 attempts</li> <li>• 1 to 25 minute intervals</li> <li>• Batch send (up to memory capacity)</li> </ul>
<b>Resolutions</b>	<p><b>Send:</b> 200 x 100 dpi (Standard) 200 x 200 dpi (Fine) 600 x 600 dpi (Superfine)</p> <p><b>Receive:</b> 200 x 100 dpi (Standard) 200 x 200 dpi (Fine) 300 x 300 dpi (Superfine) 400 x 400 dpi (Superfine) 600 x 600 dpi (Superfine)</p>
<b>LAN Fax</b>	Send fax directly from print drivers
<b>Accounting Options – Xerox Standard Accounting</b>	
<b>Tracking</b>	Copy, Print, Fax and Scan usage to secure print
<b>Accounting</b>	<p>Up to 2,500 user accounts (User ID) Up to 500 general accounts (Client) Up to 500 group accounts (Department)</p>
<b>Features</b>	<p>Enable/disable via the web UI or the device GUI in tools; administrator can manage the feature remotely Data can be exported via a CSV file; supports entering XSA ID into the print driver when submitting a print job</p>

<b>Accounting Options – Job Based Accounting – Third Party Enablement</b>			
	Enhanced network accounting with up to the minute data on how the ColorQube system is being used; comprehensive management and enterprise scale tracking and reporting of device usage of copy, print, scan and server fax. Various options available through Xerox Alliance Partner solutions. For details visit <a href="http://www.xerox.com">www.xerox.com</a> Security enhancements with the addition of HTTPS protocol support ColorQube requests account authentication from third party server enabling larger databases of users and accounts		
<b>Machine Specifications</b>			
<b>Monthly Duty Cycle*</b>			
	ColorQube 9201: up to 150,000 pages/month ColorQube 9202: 225,000 pages/month ColorQube 9203: 300,000 pages/month		
<b>Average Monthly Print Volumes**</b>			
	ColorQube 9201: 15,000 prints ColorQube 9202: 17,000 prints ColorQube 9203: 21,000 prints		
<b>Electrical Requirements</b>			
Europe	Voltage : 220-240 VAC +/- 6% (198-254 VAC) Frequency: 50/60 Hz +/- 6%, 10 A		
<b>Power Consumption (Base IOT)</b>			
Running (Max)	1410 watts		
Running (Average)	750 watts		
Standby Mode	360 watts		
Low Power Mode	200 watts		
Sleep Mode	113 watts		
Warm-up (Ready to Mark)	From Low Power: 47 sec. From Sleep: 3 min 30 sec. The Intelligent Ready power management feature learns the unique print usage patterns of an office so the device will be in ready mode when needed and automatically go into lower power modes when not needed. This feature maximises energy efficiency and results in pages being generated in as fast as 7.2 seconds		
<b>Sound Levels</b>			
Base IOT	Run Continuous	Impulse	Standby
Sound Power Level	7.3 B(A)	7.8 B(A)	5.5 B(A)
Sound Pressure Level	58 dB(A)	63 dB(A)	40 dB(A)
<b>Environmental Considerations</b>			
Required Temperature Range	10° to 28° C		
Required Relative Humidity	5% to 85%		

\*Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

\*\*Average monthly print volume – expected regular monthly print throughput.

# Xerox® ColorQube™ 9201/9202/9203

Dimensions and Weight	Width	Depth	Height	Weight
IOT with Offset Catch Tray (OCT)	1,398 mm	722 mm	1,156 mm	227 kg
IOT with Office Finisher	1,601 mm	722 mm	1,156 mm	255 kg
IOT with High Volume Finisher	2,093 mm	722 mm	1,156 mm	311.5 kg
IOT with High Volume Finisher with Booklet Maker, Post Process Inserter and Z-Fold/ C-Fold Unit	2,443 mm	722 mm	1,156 mm	368.8 kg
IOT with OCT and High Capacity Feeder	1,618 mm	722 mm	1,156 mm	257 kg
<b>Certifications</b>				
	FCC Class A Compliant (U.S.); DOC Class A Compliant (Canada) CB Certified (IEC 60950/EN 60950) 2004/108/EC 2006/95/EC 99/5/EC Submitted for full system Common Criteria (ISO 15408) certification Windows Hardware Quality Labs ENERGY STAR® Qualified			
<b>Device Specifications</b>				
<b>Xerox Extensible Interface Platform™ (EIP)</b>				
	Xerox Extensible Interface Platform (EIP) is an embedded software platform built with state-of-the-art web technologies. This platform provides the means for software developers to quickly build solutions that are more intuitive and user-friendly for office workers. Chief among the capabilities provided by EIP is the development of tailored applications with customised user interfaces, and card-based authentication solutions supporting a personalised user experience			
<b>Supplies</b>	<b>Description</b>	<b>Order Number</b>		
<b>Cartridge-Free Ink Sticks</b>	4 sticks Black (Sold)	108R00832		
	4 sticks Cyan (Sold)	108R00829		
	4 sticks Magenta (Sold)	108R00830		
	4 sticks Yellow (Sold)	108R00831		
	4 sticks Black (Metered)	108R00836		
	4 sticks Cyan (Metered)	108R00833		
	4 sticks Magenta (Metered)	108R00834		
	4 sticks Yellow (Metered)	108R00835		
<b>Staple Cartridge Staple Refills</b>	Office Finisher	008R12964 008R12941		
<b>50 sheet Cartridge Staple Refills</b>	High Volume Finisher	008R12919 008R12920		

# Xerox® ColorQube™ 9201/9202/9203

100 sheet Cartridge Staple Refills	High Volume Finisher	008R12912 008R12898
Staple Refills	Booklet Maker (for HVF)	008R12897
Staple Refills	Convenience Stapler	008R12941
<b>SMart Kits</b>	<b>Description</b>	<b>Order Number</b>
Cleaning Unit		108R00841

